Thermacore® COLLECTION



Premium insulated garage doors deliver maximum thermal efficiency and design flexibility. The Genuine. The Original.





The Thermacore® Collection keeps design in mind and adds comfort to your home by providing protection from air infiltration and temperature changes.



Built Better from the Inside Out

Door Construction

 $Thermacore ^{\circledR}\ Collection\ steel\ garage\ doors\ feature\ premium\ insulation\ construction$ and design which provides maximum thermal efficiency and reduced air infiltration for your garage space. This durable line of garage doors gives you many years of reliable operation while providing comfort and beauty to your home, even in extreme climates.



Thermacore® Construction

Foamed-in-place, CFC-free polyurethane insulation sandwiched between two layers of corrosionresistant steel helps control costly heat loss and gain.



Durable Finish

striking light

effect.

Interior-side hot-dipped galvanized steel backing, with two coats of baked-on polyester paint, provides strength and a finished, clean appearance.



Thermal Seals

Innovative in-between section thermal seals provide an air infiltration rating as low as .08 cfm and help to provide superior resistance to the elements.



Embossed

wood grain

adds beauty,

sophistication

and durability.

Smooth, Microgroove waved pattern creates a



Multiple Surface Options

non-textured surface gives a



modern look.

Pebble grain embossement creates an appealing pattern texture.



Bottom Weatherseal

This bulb-type weatherseal guards against wind and rain while providing a cushion when closing.



Wind Load Options Models 5740 and 5760 are FBC approved and will provide **\FBC** added protection to your home during high wind events,




MODELS	5720	5740	5760
Polyurethane insulation	•	•	•
U-factor¹ ₹	0.20	0.15	0.10
R-value ²	9.31	12.76	17.5
Steel backing	•	•	•
Steel gauge	28 ga.	28 ga.	28 ga.
Door thickness	1"	1.4"	2"
$\textbf{Warranty}^{\dagger}$	20-Year Limited	Limited Lifetime	Limited Lifetime



Overhead Door™ Brand participates in the DASMA Thermal Performance Verification Program. The program verifies the thermal performance of sectional garage doors. . The lower the U-factor rating, the better the thermal performance.



Symbol indicates verified U-factor rating in accordance with the DASMA Thermal Performance Verification Program.






Select your Door Panel Style and Color

Choose a Panel Style and Model


Doors shown are 7' tall. The number of sections on 8' doors may vary.

Standard Panel (SP)




Models 5720, 5740, 5760

Long Panel (LP)




Models 5720, 5740, 5760

Vertical Short (VS)




Models 5720, 5740, 5760

Flush Panel (FP)



Models 5720, 5740, 5760

Vertical Long (VL)



Model 5740

Microgroove (MG)



Model 5740

Choose a Color

Painted Finishes (standard)



White



Almond



Desert Tan



Silver







Forest Green



Gray



Black





Dark Bronze



Black Frost

Artisan Wood Grain™ Plank Finishes



Beachwood Plank



Cedar Plank



Medium Oak Plank



Carbon Oak Plank

Artisan Wood Grain™ Bi-directional Finishes Wood Grain Embossment



Western Cedar



Carbon Oak



Medium Oak

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Distributor for accurate color matching before ordering your door.



Color Options by Panel Style


		STANDARD			VERTICAL SHORT		VERTICAL LONG	LONG			FLUSH			MICRO- GROOVE	
		5720	5740	5760	5720	5740	5760	5740	5720	5740	5760	5720	5740	5760	5740
	White	•	•	•	•	•	•	•	•	•	•	•	•	•	
Painted Finishes on Wood Grain Embossment	Almond	•	•	•	•	•	•	•	•	•	•	•	•	•	
	Desert Tan	•	•	•	•	•	•	•	•	•	•	•	•	•	
	Sandstone	•	•	•	•	•	•	•	•	•	•	•	•	•	
	Terra Bronze		•			•		•		•			•		
	Brown		•	•		•	•	•		•	•		•	•	
	Forest Green		•			•		•		•			•		
	Gray		•			•		•		•			•		
	Black		•	•		•	•	•		•	•		•	•	
Modern Metallic Finishes on Smooth or Microgroove Embossment	Silver												•		•
	Dark Bronze												•		•
	Black Frost												•		•
Artisan Wood Grain [™] Finishes on Stucco Embossment	Beachwood Plank												•		
	Cedar Plank												•		
	Medium Oak Plank												•		
	Carbon Oak Plank												•		
Artisan Wood Grain™ on Wood Grain Embossment	Western Cedar		•	•		•	•	•		•	•				
	Carbon Oak		•	•		•	•	•		•	•				
	Medium Oak		•	•		•	•	•		•	•				

Thermacore® collection Decorative Accents

Customize your Door with Windows

Choose a Window Style

Available on Standard, Flush and Vertical Short Panels































Williamsburg 1 (4pc)

Available on Long, Flush, Vertical Long and Vertical Short Panels







Stockton 2 6-Lite*

Williamsburg 2 (4 pc)



Waterton 2













Williamsburg 2



Cathedral 2



Sherwood 2



Stockford 2



Stockton 2 8-Lite Arch



Wyndbridge 2



Cascade 2



Somerton 2



Stockton 2 4-Lite*



Stockton 2 12-Lite

Carriage Style Window Trim. Available on Model 5740, Standard and Flush Panels Only.









Stockton Arch

Somerton

* Artisan Wood Grain™ Bi-directional Finishes


available with these windows only



Wyndbridge Arch

Available on Flush and Microgroove Panels in Modern Metallic Finishes and Flush Panels in Artisan Wood Grain™ Plank Finishes only. Modern Metallic finishes cannot be paired with other window options.







Double Narrow


Thermacore $^{\circ}$ collection $Decorative\ Accents$

Customize your Door with Windows and Decorative Hardware

Optional Window Placement

Vertical Window Option


(Left or right)



Flush panel, Clear Long Windows

All Window Option

(Flush panel only)



Flush panel, Clear Long windows

Vertical or Horizontal Option

(Left or right)



Microgroove panel, Double Narrow windows

Windows may be arranged vertically or horizontally on the Models 5740 and 5760. Windows must be Clear Short, Clear Long or Narrow. Windows placed in the bottom section of a door must have DSB 1/8", tempered, or 1/2" insulated glass.

Choose a Glass Type

All windows come standard with double strength glass. In addition, the Thermacore® Collection offers an array of choices, including:



Clear



Obscure



Satin Etched



Gray Tint




Green Tint



Bronze Tint

Actual glass may vary from brochure photos due to fluctuations in the printing process. Check with your Overhead Door $^{\text{\tiny{M}}}$ Distributor to view a glass sample.

4 Choose your Decorative Hardware





Conifer

Choose your Opener

Fleur De Lis



Spear

Be sure to ask about our complete line of Overhead Door® garage door openers.

Powerful, quiet and durable, these garage door openers are designed for performance, safety and convenience. Your Overhead Door™

Distributor will help you choose the opener that best suits your door and preferences.

Transform Your Home with the DoorView® Visualization Tool.

Go to overheaddoor.com to try our online interactive software tool that lets you visualize what your home would look like with a new Overhead Door™ garage door. Contact your local Overhead Door™ Distributor for more information and to receive a quote.





The Genuine. The Original.

Since 1921, Overhead Door™ Brand has not only raised the standards of excellence for the industry – we've created them. We created the first sectional garage door in 1921 and the first electric garage door opener in 1926.

Today, our network of over 400 Overhead Door™ Distributors are still leading the way with innovative solutions and unmatched installation, service and support. So look for the Red Ribbon. It's your guarantee that you're getting the genuine, the original Overhead Door™ products and services.

SOLD AND DISTRIBUTED BY:













The Genuine. The Original.



2501 S. State Hwy. 121 Bus., Suite 200, Lewisville, TX 75067 1-800-929-DOOR • sales@overheaddoor.com overheaddoor.com